

MS 5B

CORRENTE CONTINUA

	Kw	mc/h	0,6	1,7	2,3	2,4	3	3,3	3,6	4,3	4,6	4,9	5	5,2	5,4	5,8	6,1	6,3	6,4
	0,37																		
MS 5B	0,55		29	20		12	8	4	1										
	0,55																		
MS 15B	0,9																		
	1,1	H(m)			50		40		30	20			10		1				
	1,1																		
MS 20B	1,5																		
	1,5								52	40	35	30		25		15	10	5	1
	1,5																		

CARATTERISTICHE

- **Corpo pompa:** bronzo
- **Statore:** NBR, viton
- **Vite:** acciaio inox AISI 316

- **Albero:** acciaio inox AISI 316
- **Tenuta:** meccanica
- **Motore:** 24 V C.C. C. A. 230/400T. O 230 M

APPLICAZIONI

- svuotamento serbatoi acque nere
- trasferimento acque di drenaggio

- trasferimento carburanti
- travasi di acque dolci e salate

Sito Web




Catalogo Generale



Feit Pompe S.r.l.
Via Venezia, 34/g - 10088 - Volpiano (TO) - ITALIA
Tel: +39 (0)11 9884327 - info@feit.srl - feit.srl


FEIT
1946
Evolving with you...



	VOLT	RPM
MS 5B	24V	1450

	VOLT	RPM
MS 15B	24V	1450

	VOLT	RPM
MS 20B	24V	1450



	Dn1	Dn2	A	B	H1	H2	R	S	T	V	Kg
MS 5B	1"gas	1"gas	90	105	200	-	150	8	404	8	12/18
MS 15B	1"1/4gas	1"1/4gas	100	140	180	.	180	10	590	10	26/32
MS 20B	1"1/2gas	1"1/2gas	110	140	180	.	180	10	600	10	35/44



MS 20B

CORRENTE ALTERNATA 50Hz

	Kw	mc/h	1,75	1,9	2,2	2,3	2,7	2,8	2,94	3	3,3	3,6	4,3	5	5,2	5,4	5,5	6,1	6,4
	0,37																		
MS 5B	0,55		46	40	28	24	9	6	1										
	0,55																		
	0,9																		
MS 15B	1,1	H(m)				50				40		30	20	10		1			
	1,1																		
	1,5																		
MS 20B	1,5											52	40		25		20		1
	1,5																		

CARATTERISTICHE


- **Corpo pompa:** bronzo
- **Statore:** NBR, viton
- **Vite:** acciaio inox AISI 316

- **Albero:** acciaio inox AISI 316
- **Tenuta:** meccanica
- **Motore:** 24 V C.C. C. A. 230/400T. O 230 M

APPLICAZIONI

- svuotamento serbatoi acque nere
- trasferimento acque di drenaggio


- trasferimento carburanti
- travasi di acque dolci e salate



	VOLT	RPM
MS 5B	230/400	1450
	230m	

	VOLT	RPM
MS 15B	230/400	1450
	230m	

	VOLT	RPM
MS 20B	230/400	1450
	230m	



	Dn1	Dn2	A	B	H1	H2	R	S	T	V	Kg
MS 5B	1"gas	1"gas	90	105	200	215	150	8	404	8	12/18
MS 15B	1"1/4gas	1"1/4gas	100	140	180	220	180	10	590	10	26/32
MS 20B	1"1/2gas	1"1/2gas	110	140	180	230	180	10	600	10	35/44

Sito Web



Catalogo Generale



Feit Pompe S.r.l.

Via Venezia, 34/g - 10088 - Volpiano (TO) - ITALIA
Tel: +39 (0)11 9884327 - info@feit.srl - feit.srl

FEIT
1946
Evolving with you...