



SELF PRIMING SCREW ELECTRIC PUMPS

Series
MONO-Tipo MS 5/15/20



MS 5B

DC EXECUTION

	Kw	mc/h	0,6	1,7	2,3	2,4	3	3,3	3,6	4,3	4,6	4,9	5	5,2	5,4	5,8	6,1	6,3	6,4
	0,37																		
MS 5B	0,55		29	20		12	8	4	1										
	0,55																		
MS 15B	0,9																		
	1,1	H(m)			50		40		30	20			10		1				
	1,1																		
MS 20B	1,5																		
	1,5								52	40	35	30		25		15	10	5	1
	1,5																		

CHARACTERISTICS

- **Pump casing:** bronze
- **Stator:** NBR, viton
- **Screw:** AISI 316 stainless steel

- **Shaft:** AISI 316 stainless steel
- **Seal:** mechanical
- **Motor:** 24 V D.C. 230 V A.C. 1 Ph, 230/400 V A.C.3Ph.

APPLICATIONS

- discharge black water tank
- transferring drainage water

- transferring fuels
- chain washing
- transferring soft water and sea water

Sito Web



Catalogo Generale




Feit Pompe S.r.l.
Via Venezia, 34/g - 10088 - Volpiano (TO) - ITALIA
Tel: +39 (0)11 9884327 - info@feit.srl - feit.srl



SELF PRIMING SCREW ELECTRIC PUMPS


Series
MONO-Tipo MS 5/15/20



	VOLT	RPM
MS 5B	24V	1450

	VOLT	RPM
MS 15B	24V	1450

	VOLT	RPM
MS 20B	24V	1450



	Dn1	Dn2	A	B	H1	H2	R	S	T	V	Kg
MS 5B	1"gas	1"gas	90	105	200	-	150	8	404	8	12/18
MS 15B	1"1/4gas	1"1/4gas	100	140	180	.	180	10	590	10	26/32
MS 20B	1"1/2gas	1"1/2gas	110	140	180	.	180	10	600	10	35/44



MS 20B

AC EXECUTION 50Hz

	Kw	mc/h	1,75	1,9	2,2	2,3	2,7	2,8	2,94	3	3,3	3,6	4,3	5	5,2	5,4	5,5	6,1	6,4	
	0,37	H(m)																		
MS 5B	0,55		46	40	28	24	9	6	1											
	0,55																			
	0,9																			
MS 15B	1,1					50					40		30	20	10		1			
	1,1																			
	1,5																			
MS 20B	1,5												52	40		25		20		1
	1,5																			

CHARACTERISTICS

- **Pump casing:** bronze
- **Stator:** NBR, viton
- **Screw:** AISI 316 stainless steel

- **Shaft:** AISI 316 stainless steel
- **Seal:** mechanical
- **Motor:** 24 V D.C. 230 V A.C. 1 Ph, 230/400 V A.C.3Ph.

APPLICATIONS


- discharge black water tank
- transferring drainage water

- transferring fuels
- chain washing
- transferring soft water and sea water

SELF PRIMING SCREW ELECTRIC PUMPS

Series
MONO-Tipo MS 5/15/20


AVANTAGE.FEIT



	VOLT	RPM
MS 5B	230/400 230m	1450

	VOLT	RPM
MS 15B	230/400 230m	1450

	VOLT	RPM
MS 20B	230/400 230m	1450



	Dn1	Dn2	A	B	H1	H2	R	S	T	V	Kg
MS 5B	1"gas	1"gas	90	105	200	215	150	8	404	8	12/18
MS 15B	1"1/4gas	1"1/4gas	100	140	180	220	180	10	590	10	26/32
MS 20B	1"1/2gas	1"1/2gas	110	140	180	230	180	10	600	10	35/44

Sito Web



Catalogo Generale



Feit Pompe S.r.l.

Via Venezia, 34/g - 10088 - Volpiano (TO) - ITALIA
Tel: +39 (0)11 9884327 - info@feit.srl - feit.srl

FEIT
1946
Evolving with you...