



MS 5B

DC EXECUTION

		l/min	5	10	25	40	45	50	55	60	75	83,3	90	101,6	105
	Kw	mc/h	0,3	0,6	1,5	2,4	2,7	3	3,3	3,6	4,5	5	5,4	6,1	6,3
MS 5B	0,37	H(m)	31	29	21	12	9	5	1						
	0,55														
	0,55														
MS 15B	0,9					50	45	41	37	32	18	10	1		
	1,1														
MS 20B	1,1									52	36	28	22	10	5
	1,5														
	1,5														

CHARACTERISTICS

- **Pump casing:** bronze
 - **Stator:** NBR, viton
 - **Screw:** AISI 316 stainless steel
- **Shaft:** AISI 316 stainless steel
 - **Seal:** mechanical
 - **Motor:** 24 V D.C. 230 V A.C. 1 Ph, 230/400 V A.C.3Ph.

APPLICATIONS

- discharge blak water tank
 - trasferring drainage water
- transferring fuels
 - chain washing
 - transferring soft water and sea water

Sito Web




Catalogo Generale



Feit Pompe S.r.l.


Via Venezia, 34/g - 10088 - Volpiano (TO) - ITALIA
Tel: +39 (0)11 9884327 - info@feit.srl - feit.srl



	VOLT	RPM
MS 5B	24V	1450

	VOLT	RPM
MS 15B	24V	1450

	VOLT	RPM
MS 20B	24V	1450



	Dn1	Dn2	A	B	H1	H2	R	S	T	V	Kg
MS 5B	1"gas	1"gas	90	105	200	-	150	8	404	8	12/18
MS 15B	1"1/4gas	1"1/4gas	100	140	180	.	180	10	590	10	26/32
MS 20B	1"1/2gas	1"1/2gas	110	140	180	.	180	10	600	10	35/44



MS 20B

AC EXECUTION 50Hz


		l/min	25	40	45	50	55	60	75	83,3	90	91,6	101,6	105	110
	Kw	mc/h	1,5	2,4	2,7	3	3,3	3,6	4,5	5	5,4	5,5	6,1	6,3	6,6
MS 5B	0,37	H(m)	49	23	11	2									
	0,55														
	0,55														
MS 15B	0,9		50	44,6	40	35	31	18,5	9	1					
	1,1														
	1,1														
MS 20B	1,5							52	40	30	23	21	10	6	1
	1,5														
	1,5														

CHARACTERISTICS

- **Pump casing:** bronze
 - **Stator:** NBR, viton
 - **Screw:** AISI 316 stainless steel
- **Shaft:** AISI 316 stainless steel
 - **Seal:** mechanical
 - **Motor:** 24 V D.C. 230 V A.C. 1 Ph, 230/400 V A.C.3Ph.

APPLICATIONS


- discharge blak water tank
 - trasferring drainage water
- transferring fuels
 - chain washing
 - transferring soft water and sea water



	VOLT	RPM
MS 5B	230/400 230m	1450

	VOLT	RPM
MS 15B	230/400 230m	1450

	VOLT	RPM
MS 20B	230/400 230m	1450



	Dn1	Dn2	A	B	H1	H2	R	S	T	V	Kg
MS 5B	1"gas	1"gas	90	105	200	215	150	8	404	8	12/18
MS 15B	1"1/4gas	1"1/4gas	100	140	180	220	180	10	590	10	26/32
MS 20B	1"1/2gas	1"1/2gas	110	140	180	230	180	10	600	10	35/44

Sito Web



Catalogo Generale



Feit Pompe S.r.l.

Via Venezia, 34/g - 10088 - Volpiano (TO) - ITALIA
Tel: +39 (0)11 9884327 - info@feit.srl - feit.srl

